




FIG. 1




 \mathcal{H}_{G} . 2 Figure 3 -- Improved system with manually operable function select




3[△] Figure 14 Overall block diagram



3b
Figure 16 Data flow for modifying, and creating Native
CAD drawings





	140	144	100
	E Options	10:C0a	<u>(1)</u>
136	Constant Control		128
		i Tendate	130
MS			
146-	Coordinate Display		
148	W AUICHKE TORKAN		136
150	12 1 2 3 4 5 6 7 4	3 9 0 - I =	<u> </u>
/38	Tab q w e f t y u	1 0 p 1	
116	Shift Z X C V b n	m , . , . ,	1 = 1
	WENT LOOP - FILE ST	אום-טוא • [

FG. 6




Figure 10. Default view for the Set First Point dialog box


AG 7

				- Al-rada (Jan			100							-
D. E	Pic	k I	oi	nt	Se	ttiı	ngs			li:	00	a (0k	
	$\overline{\mathbf{n}}$				سا د	\$2, سر	3							
		265	thoo d Si	413.60		يبنز	u'c,	٠,٢	ו. חר	100] ::::	a
		7			:2:.1; .:	- 25	6						J	
			₫-						MINING MAXIO					
			ert nt-		×				Ç	lea	All		<u>}</u>	
			1 Pc	(6)		*						7		
Ž Š			nte			<i>ነሪ</i> ያ								
			Iqui	a i (¢										
123	1	2	3	4	5	6	7	8	9	To		I =	4	
Ta	b	IV	4 (3	r	t	y	u	i	0	p	I	Ì	
CA	p .	а	s	d	f	g	h	j	k	1		T		
Sh		Z	X	C	Y	b	n	m	, ا			/	4	
Ct	l ái	ü i	•	1						4	1	+	->	7
—				_			_							


Figure 15. Pick Points dialog box
FIG. 8

			10.0	
2002	Set Second P	oint	12:59p @	110
	se Port. 2 0:300:	25	Y RG22	
172.52) (1) 33)			
F42244	# ((생)()(: (65%) (154)	tu est Detaros	C. K	221a
2200	45	12.25		
	BELANE!	्राष्ट्र इस्टराइस्ट	wall statement therefore	2082
206a	[35] 90°]			
	180 270 270	Sis I	Z Z	2122
).	
	Em Tools ./		→ 200	
			Sec.	3 24

Eigure 21. Setting a specific line angle and distance



Eigure M. Absolute XIV page in the Set First Roinildialdy box
. FIG. 10




Eigune 27 Text Designer dialog dox

HG. 11

Figure 28 Layer dialog box

	100
	PocketCAD 9:57a @ -//
404	Fleire
400-5	\my.cad
	Block
402	my is (
	Rotation Angle 0.0 dra
410	X Scale Factor 1.0
406	Y Scale Factor 1.0
. 408	
,	123 1 2 3 4 5 6 7 8 9 0 - = 4
	Tab q w e r t y u i o p []
	CAP a s d f g h j k l ; '
	Shift z x c y b n m , . / ←
	Cti áü ` \
	New Tools ⊗ A P Builtin → EE

Pigute 13A Modelt Block didlog how 144.13



Higure 36. Standard Windows Eile Opendialog box

Fig. 14

	ßStart ≀		3:47	(ok)	
	BlockName				
		new_cubicle			
	Base Point	Manager and the	Kalinasika Kasasikasika		
	አ. 0.000		Selects is		
	Y 0.000				
	l Entity Sel	ected	Cance		
3 3 3 3					

Figure 38 Make Blackdialog Kox

Source.	
© Current Selection	
Block:	
-Base Point	
X. 0,000000	Seselect 2
Y 0.000000	
D Entitles Selected	Cancel

Figure 311 Write Block dialog lox


ES Save A	5:13p
Saveas	
	450
Name:	Cicor482
Folder	None 484
Type:	Diaring Re: (*.CAD) - 48 4
	Man Marury - 488
	Cance
123 1 2 3	1456780D-=+
CAP a s	
Shift z x	
Cti sti -	

Eighte 42 SaverAstdialog Boxtshowing blocktowniter
Fig. 17


	100	
	Text Designer 3:42p @k	
	Text Designer Dialog Box	
510	Height: 1.0 Rotation: 0.0	
301	Attribute Definition Cancel 530	ı
	Prompt:	<i>r.</i>
	123 1 2 3 4 5 6 7 8 9 0 - = +	8
	Tab q w e r t y u i o p L i illo CAP a s d f g h j k i ; ' I I I I I I I I I	
	Ctl áü ' \ \ New Tools A Q □	

Eigure 46 Property dialog box for attributes

. FIG. 18



Eigure 33. Rotation Angledialogbox
Fig. 19



P19.20




Figure 56. Object Properties dialog box

F14. 21